L Number	Hits	Search Text	DB	Time stamp
1	3	("5458912").PN.	USPAT;	2001/11/30
			US-PGPUB;	17:25
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
8	679	("light-sensitive element" or	USPAT:	2001/11/30
	0.0	"light\$sensitive element") and data	US-PGPUB;	17:37
·		ilgiitasensitive element) and data	EPO; JPO;	17:37
			1 .	
			DERWENT;	
15	45	//Wight consitius alone and a	IBM TDB	0004/44/00
15	45	(("light-sensitive element" or	USPAT;	2001/11/30
		"light\$sensitive element") and data) and	US-PGPUB;	17:30
		(coating same protective)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
22	0	((("light-sensitive element" or	USPAT;	2001/11/30
		"light\$sensitive element") and data) and	US-PGPUB;	17:29
		(coating same protective)) and (filler same	EPO; JPO;	
		opaque)	DERWENT;	
		,	IBM TDB	
29	8	(("light-sensitive element" or	USPAT;	2001/11/30
		"light\$sensitive element") and data) and	US-PGPUB;	17:34
		(coating same filler)	EPO; JPO;	
		(**************************************	DERWENT;	
			IBM TDB	
36	0	(("5458912").PN.) and (semiconductor or	USPAT;	2001/11/30
	J	"integrated circuit")	US-PGPUB;	17:36
		integrated circuit /	EPO; JPO;	17.30
			DERWENT;	
			IBM TDB	
43	1251755	(applicant of the state of the state)		2004/44/20
43	1251/55	(semiconductor or "integrated circuit")	USPAT;	2001/11/30
İ			US-PGPUB;	17:37
			EPO; JPO;	
			DERWENT;	
	. —		IBM TDB	
50	168	((semiconductor or "integrated circuit"))	USPAT;	2001/11/30
		and ("light-sensitive element" or	US-PGPUB;	17:39
1		"light\$sensitive element") and data	EPO; JPO;	
			DERWENT;	
			IBM TDB	
57	. 1	(((semiconductor or "integrated circuit"))	USPAT;	2001/11/30
		and ("light-sensitive element" or	US-PGPUB;	17:40
		"light\$sensitive element") and data) and	EPO; JPO;	
		(filler same opaque)	DERWENT;	
			IBM TDB	
64	115	((semiconductor or "integrated circuit"))	USPAT;	2001/11/30
-	,,,	and (filler same opaque)	US-P PUB;	17:41
			EPO; JPO;	
			DERWENT;	
			IBM TDB	

71	1	(((semiconductor or "integrated circuit")) and (filler sam opaque)) and smartcard	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 17:47
78	34	(("light-sensitive element" or "light\$sensitive element") and data) and IC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 17:47

L Number	Hits	Search Text	DB	Time stamp
13	0	("428 and (coating or film)").PN.	USPAT;	2001/11/30
			US-PGPUB;	08:22
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
20	1256	428/689	USPAT;	2001/11/30
			US-PGPUB;	08:24
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
27	1044	428/689 and (coating or film)	USPAT;	2001/11/30
			US-PGPUB;	08:24
			EPO; JPO;	
			DERWENT;	
		·	IBM TDB	
34	488	(428/689 and (coating or film)) and	USPAT;	2001/11/30
		(semiconductor or device)	US-PGPUB;	08:25
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
41	46	((428/689 and (coating or film)) and	USPAT;	2001/11/30
		(semiconductor or device)) and opaque	US-PGPUB;	08:25
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
48	12	(((428/689 and (coating or film)) and	USPAT;	2001/11/30
		(semiconductor or device)) and opaque) and	US-PGPUB;	08:26
		filler	EPO; JPO;	
		. ,	DERWENT;	
			IBM TDB	